AUTHOR INDEX TO VOLUME 7

This index lists, in alphabetical order, the names of authors of all articles, abstracts, letters, and editorials. Full citation is provided under the first author only, with reference made from joint authors. Abstracts, letters, and editorials are distinguished from articles by the following code: A = abstract, L = letter, and E = editorial.

Afting E-G, see Rothig H-J Ahmad BK, see Oh Si Albe X, see Hantaï D

Albers JW, see Donofrio PD

Albers JW, Donofrio PD, McGonagle TK, Leonard JA Jr, Geiringer SR: Sequential electrodiagnostic abnormalities in acute inflammatory demyelinating polyradiculoneuropathy, 576-A

Albert C, see Pavot A

Alderson K, Petajan JH: Relative refractory period: a measure to detect early neuropathy in alcoholics, 580-A

Alessi AG, see Donofrio PD Alonso RD, see Tahmoush A]

Al-Rajeh S, see Al-Sulaiman A Al-Sulaiman A, Al-Rajeh S, Iyer V: 2,4-D myotonia during reinnervation, 580-A

Aminoff MJ, see Goodin DS Aminoff MJ: The clinical role of somato-

sensory evoked potential studies: a critical appraisal, 345-354 Aminoff MJ, Goodin DS, Parry GJ, Rosenblum ML, Barbaro NM, Wein-

stein PR: Electrophysiologic evaluation of lumbosacral radiculopathies, 582-A Anderson P, see Kelly FJ

Anderson WM, see Macchia DD

Aquilonius S-M, Askmark H, Gillberg P-G, Nandedkar S, Olsson Y, Stålberg E: Topographical localization of motor endplates in cryosections of whole human muscles, 287-293

Arezzo JC, see Schwab BW Arpa J, see Cruz Martínez A

Arts RJHM, Bollen EL, Roos RAC, Buruma OJS: Somatosensory evoked potentials to tibial and median nerve stimulation in Huntington's chorea,

Arts RJHM, de Beer F, Thomeer RTWM: Spinal cord reconstruction in the cat: evaluation through somatosensory evoked potentials, 582-A

Ashmore CR, see Day RK Askmark H, see Aquilonius S-M

Askmark H, Carlson M, Roxin L-E: Myoglobin in rat hind limb muscles after denervation and during reinnervation, 656-661

Atkinson BG, see Graham KA

Bach J, see Rideau Y Bacq M, see Telerman-Toppet N Baker M, see Ravits] Ball RD, see Barry DT

Bandman E: Myosin components of the latissimus dorsi and the pectoralis major muscles in the dystrophic chicken, 312 - 326

Baran E, Codario R, Mandel S, Kresch E. Odland JD: Somatosensory evoked potential abnormalities with Agent Orange, 571-A

Baran E, Jacobs M, Kresch E, Odland JD: Correlation coefficient analysis of somatosensory evoked potential waveforms, 571-A

Barbaro NM, see Aminoff MJ Barry DT, Ball RD: Acoustic myography: a noninvasive in vivo method for assessing motor unit fatigue, 578-A

Baruah JK, Cheryl G, Sulaiman AR, Kinder D: Hereditary sensory neuropathy liable to pressure palsies, 573-A Becker MJ, see Eng GD

Bell MA, Weddell AGM: A morphometric study of intrafascicular vessels of mammalian sciatic nerve, 524-534

Belsh JM, Chokroverty S: Short latency somatosensory evoked potentials in brain-dead patients, 583-A

Beric A: Scalp distribution of somatosensory evoked potentials following proximal and distal stimulation of cutaneous and mixed nerves in the upper extremities, 583-A

Bernhardt W, see Rothig H-J

Bigland-Ritchie B, Woods []: Changes in muscle contractile properties and neural control during human muscular fatigue, 691-699

Bodensteiner JB, Grunow JE: Gastroparesis in neonatal myotonic dystrophy, 486-487

Bodziner RA, see Lange DJ Bollen EL. see Arts RIHM

Bonadonna G, Corradina P, Lechi C, Zatti M, De Grandis D: Decreased A 23187-induced platelet aggregation in Duchenne muscular dystrophy, 493-L

Bourke D, see Thomas D Bozek C, see Eisen A Bradley WE, see Lin JT Bradley WG see Lester JM

see Sabina RL Bradley WG: Sir John Walton retires from Newcastle upon Tyne, 1-E

Brandstater ME, see Stashuk D Brandstater M, de Bruin H, Perry J: Quantitative analysis of channel crosstalk during multiple-level EMG recordings, 561-A

Branston NM, see Ladds A

Brenner JF, see Lester JM Bresolin N, Miranda A, Chang HW, Shanske S, DiMauro S: Phosphoglycerate kinase deficiency myopathy: biochemical and immunological studies of the mutant enzyme, 542-551

Brimijoin S, Mintz KP: Unimpaired energy metabolism in experimental neuropathy induced by p-bromophenylacetylurea, 725-732

Brimmer CJ, see Fitts RH Brinkman SD, see Peters GM Brooke MH, see Mendell JR Brumback RA, Gerst JW: A reply, 593-L Bruyninckx F, see Chu Bryant SH, see Martin AF Bryers PS, Ecob MS: Differentiation in

765

dystrophic muscle cultures from mice of different ages, 332-336 Burke JF, see Witte AS Burke IM, see Donofrio PD Burke RE, see Mayer RF Buruma OJS, see Arts RJHM

Cagnin G, see Morello F Calne D, see Eisen A Cantón R, see Cruz Martínez A Carlson M, see Askmark H Carroll JE, Norris BJ, Villadiego A, Wheeler SD: Brominated vegetable oil myopathy: inhibition at multiple sites, 642-646

Casali C, see Scoppetta C Cavanagh JB see Kemplay S see Simonati A Chad D, see Smith TW Chang HW, see Bresolin N Chang T, see Wu Z-A Chen J, see Dubois M

Chen RC, see Chu J Cheryl G, see Baruah JK

Chino N, Noda Y: Supernormal conductivity of the muscle fibers, 567-A Cho DS, MacLean IC: Comparison of normal values of median, radial, and

ulnar sensory latencies, 575-A

Chokroverty S see Belsh JM see Manocha M Chu F-L, see Wu Z-A

Chu J, Bruyninckx F, Chen RC: Automatically analyzed low-threshold motor unit parameters and the interference pattern: their relationship in normal and neurogenic situations, 561-A

Chu J, Chen RC: The effects of progressive Teflon denudation of the monopo lar needle on the motor unit potential,

CIDD Group, see Mendell JR Cobb L, see Pickett JB Codario R, see Baran E Coërs C, see Telerman-Toppet N Cohen MH, see Lester JM Colombo L, see Mussini E

Comi G, Locatelli T, Mandelli A, Martinelli V, Dal Carro U, Medaglini S, Ghilardi MF: Median and tibial nerve somatosensory evoked potentials: evaluation of central conduction time in multiple sclerosis, 583-A

Cooper WH, Ringel SP: Severe motor neuropathy following low-dose vincristine, 564-A

Cornelio F, see Mussini E Corradina P, see Bonadonna G Cossu G, Eusebi F, Molinaro M: Reduced acetylcholine sensitivity in dystrophic mouse myotubes in vitro, 73-76

Cotellessa L, see Mussini E Cracco JB, see Maccabee PI Cracco RQ, see Maccabee PJ

Cruz Martínez A, Arpa J, Pérez Conde MC, Ferrer MT: Bilateral carpal tunnel in childhood associated with Schwartz-Jampel syndrome, 66-72

Cruz Martínez A, Pérez Conde MC, Ferrer MT, Cantón R, Téllez I: Neuromuscular disorders in a new toxic syndrome: electrophysiological study-a preliminary report, 12–22 Cumming WJK, Mahon M: Needle biop-

sies, 679-L

Czyzewski K, see Sadeh M

D

Dahn MS, see Peters GM Dal Carro U, see Comi G Dalla Libera L, Scarpini E, Manfredi L, Marini A: Urinary 3-methylhistidine output in newborn human infants,

Dangain J, Vrbová G: Muscle development in mdx mutant mice, 700-704

Daroff RB, see Swift TR

Daube JR see Evans BA see McManis PG

Daube JR, Harner SG, Laws EG: Intraoperative monitoring of cranial nerve function, 577-A

Daugherty WT, Glantz RH, Rowley WF: Facial myokymia in a family, 568-A

Day RK, Ashmore CR, Lee YB: The effect of stretch removal on muscle weight and proteolytic enzyme activity in normal and dystrophic chicken muscles, 482-485

de Beer F, see Arts RJHM de Bruin H see Brandstater M see Stashuk D

De Grandis D, see Bonadonna G De Luca CJ, Jabre JF: EMG signal decomposition: a new technique for studying individual motor unit action potentials at different stages of contraction,

560-A De Ponte G, see Mussini E Degani D, see Ragazzoni A

Delaubier A, see Rideau Y Didelot MJ, see Macchia DD

DiMauro S, see Bresolin N Dimitrijevic MR, Faganel J, Halter JA: EMG evaluation of sprouting of primary afferents by stimulation of spinal cord from the epidural space in spastic paraplegic patients, 569-A

Di Trapani G, see Scoppetta C Dodson WE, see Mendell JR Donofrio PD, see Albers JW

Donofrio PD, Albers JW, Greenberg HS, Mitchell BS: Peripheral neuropathy in osteosclerotic myeloma: clinical and electrodiagnostic improvement with chemotherapy, 137-141

Donofrio PD, Alessi AG, Burke JM, Mata M, Fink D, Albers JW: Polyneuropathy in benign monoclonal gammopathy of undetermined significance, 564-A

Dorfman LJ: The distribution of conduction velocities (DCV) in peripheral nerves: a review, 2-11

Dorfman LJ, McGill KC: Automatic analysis of motor unit action potential properties during strong muscular contractions using ADEMG, 560-A

Doughly ME, see Kountouris D Downham D, Lexell J, Sjöström M: The co-dispersion index for the measurement of fiber type distribution pattern, 751-L

Drachman DB, see Swift TR Dubois M, Lynch J, Goldbery J, Siegel-man R, Chen J, Potolicchio A: Pudendal nerve evoked responses during extensive pelvic surgery: an assessment of sexual function, 583-A

Dubowitz V, see Heckmatt JZ Dubrovsky A, see Taratuto AL Dudley AW Jr, see Lederman RJ Durdu J, see Telerman-Toppett N Dyro FM: Conduction velocities and Agent Orange exposure, 571-A

Ecob MS, see Bryers PS Edwards RHT: New techniques for studying human muscle function, metabolism, and fatigue, 599-609

Egloff-Baer S, see Roth G Eisen A, Hoirch M, Bozek C, Calne D: Valid electrophysiologic methods allowing comparison of peripheral and central sensory conductions, 562-A

Eisen A, Hoirch M, White J, Calne D: Sensory group Ia conduction velocity, 636-641

Eisen A, Roberts K, Hoirch M, Lawrence P: An alternative to the single peak single neural generator hypothesis of the somatosensory evoked potential revealed by digital filtering, 584-A

Elmubarak MH, Ranatunga KW: Temperature sensitivity of tension development in a fast-twitch muscle of the rat, 298-303

Eng GD, Becker MJ, Muldoon SM: Electrodiagnostic tests in the detection of malignant hyperthermia, 618-625

Entrikin RK: Avian muscular dystrophy: use of proper "controls," 337-L Entrikin RK, Patterson GT, Wilson

BW: Drugs in muscular dystrophy of the chicken: corticosterone-21-acetate, 130 - 136

Eppenberger HM, see Eppenberger ME Eppenberger ME, Schoenenberger R, Eppenberger HM: Myofibrillar M-line structure in normal and dystrophic hamster muscle, 304-311

Erlandson RF see Joynt RL see Rourke M

Erlandson RF, Joynt RL, Rourke M: A comparison of computer-simulated EMG interference pattern with actual subject data, 570-A

Eusebi F, see Cossu G Eusebi F, Molinaro M: Acetylcholine sensitivity in replicating satellite cells, 488-

Evans BA, Daube JR: A comparison of three electrodiagnostic methods of diagnosing carpal tunnel syndrome, 565-A

Eve S, see So El

Faganel J, see Dimitrijevic MR Fardeau M, see Hantaï D Fariello RG, see Witte AS Farrell C, see Feit H Feit H, see Pettegrew J Feit H, Farrell C: The interaction of unregulated actin and myosin in avian muscular dystrophy, 668-675 Fenichel GM, see Mendell JR Ferrer MT, see Cruz Martínez A Fine E, Wongjirad C: A device providing visual and auditory feedback during limb movement, 569-A

Fink D, see Donofrio PD Fischman DA, see Shafiq SA Fishbein WN: Changes in adenylate deaminase, adenylate kinase, and creatine kinase after prolonged storage of frozen muscle biopsies, 340-L

Fisher MA, see Wess MM

Fisher MA: A reply, 339-L Fisher MA, Perlik SJ: P40 somatosensory evoked potentials: thalamic lesions and subcortical origin, 584-A

Fitts RH, Brimmer CJ, Troup JP, Unsworth BR: Contractile and fatigue properties of thyrotoxic rat skeletal muscle, 470-477

Fleming GD, see Young RB Flohe L, see Schwab BW

Fowler WM Jr: Importance of overwork

weakness, 496-L French MW, Rivner MH, Hartlage P, Swift TR: Excitation-contraction time intervals in human malignant hyperthermia, 580-A

Fujita T, see Nonaka 1 Furukawa K: Healing-over in skeletal muscles of the guinea pig following in-duced injury, 610-617

Gantchev GN, see Popivanov D Gasanov GG, see Melikov EM Gateless D, Kraft GH, Gilroy J: Thermographic evaluation of autonomic dys-function in the carpal tunnel syndrome, 574-A Gavrilenko T, see Popivanov D Gebes S, see Kountouris D Geiringer SR, see Albers JW Gergely J, see Mabuchi K Gerst JW, see Brumback RA Ghilardi MF, see Comi G Gilchrist JM, Leshner RT: Intraoperative EMG in spasmodic torticollis, 569-A Gillberg P-G, see Aquilonius S-M Gilroy J, see Gateless D Giudici G, see Mussini E Glantz RH, see Daugherty WT Glorion B, see Rideau Y Goldbery J, see Dubois M Goldspink DF, see Kelly FJ Goldspink G, see Watt PW Goodin DS, see Aminoff MJ Goodin DS, Aminoff MJ, Mantle MM: Evoked cerebral potentials and voluntary motor activity, 584-A Graham DS, see Lange DJ Graham KA, Shivers RR, Atkinson BG:

A freeze-fracture analysis of intramembrane particle densities on dystrophic hamster heart sarcolemma, 513-523 Greenberg HS, see Donofrio PD Griggs RC, see Mendell JR Grimby L, Holm K, Sjöström L: Abnormal use of remaining motor units during locomotion in peroneal palsy, 327-331

Grimm AF, see Herring SW Grimm BR, see Herring SW Grob D, see Pagala MKD Grunow JE, see Bodensteiner JB Guitart R, see Vallat J-M Gupta P, see Louis AA

Hallett M, see Ravits J Halter JA, see Dimitrijevic MR Hanson MR, see Lederman R Hantaï D, Albe X, Fardeau M: Double staining of the muscle fibers and interstitial tissue components for automatic analysis of muscle biopsies, 91-93 Harner SG, see Daube JR

Hartlage P, see French MW Hassan NF, see Maccabee PJ Hazama R, see Tsujihata M Heckmatt JZ, Dubowitz V: Needle biopsy

of skeletal muscle, 594-L Heiman-Patterson TD, see Tahmoush AJ

Henke J, see So EL Henriksson KG, see Tagesson C

Herring SW, Grimm AF, Grimm BR: Regulation of sarcomere number in skeletal muscle: a comparison of hypotheses, 161-173

Hirsch RP, see Lester JM Hodgson JA, see Mayer RF

Hofmann WW: An insulin receptor defect in murine muscular dystrophy, 650-655

Hoirch M, see Eisen A Holers VM, see Rosenberg NL Holmes EW, see Sabina RL Holm K, see Grimby L

Hopf HC: Hemifacial spasm: location of the lesion electrophysiologically, 753-L Hopkins LH, see Young RB

Horowitz SJ, see Sternick C

Hotson JR, see Louis AA Hsu L, Natyzak D, Trupin GL: Neuronotrophic effects of skeletal muscle fractions on neurite development, 211-217 Hudgson P, see Lane RJM

Ignacio D, see Pavot A Ishitsu T, see Miike T Iyer V, see Al-Sulaiman A

Jablecki C: Lambert-Eaton myasthenic syndrome, 250-257 abre JF, see De Luca CJ Jackowski M, see Reiners K Jacobs LA, see Peters GM acobs M, see Baran E Jan S-F, see Wu Z-A

Jannetta PJ, see Nielsen VK Jeffrey PL, see Leung WN

Johnson RM: Membrane proteinphosphorylation in the intact erythrocytes of genetically dystrophic hamsters, 369-373

Jones HR Jr: Compression neuropathies in childhood: a report of ten cases at a children's hospital, 1979-1984, 566-A Joynt RL

see Erlandson RF see Pfister AM see Rourke M

Joynt RL: Comparison of residual latency and palmar stimulation for diagnosis of carpal tunnel syndrome, 565-A

Joynt RL, Erlandson RF: Interexaminer variations in the characteristics of a good EMG interference pattern, 570-A

Karpati G: Partially denervated and reinnervated muscles in Duchenne muscular dystrophy, 261-L

Kelly FJ, Lewis SEM, Anderson P, Goldspink DF: Pre- and postnatal growth and protein turnover in four muscles of the rat, 235-242

Kemplay S, Cavanagh JB

Effects of acrylamide and other sulfhydryl compounds in vivo and in vitro on staining of motor nerve terminals by the zinc iodide-osmium technique, 94 - 100

Effects of acrylamide and some other sulfhydryl reagents on spontaneous and pathologically induced terminal sprouting from motor end-plates, 101-109

Kennaugh R, see Rosenberg NL Kennedy CB , Preston DN: Comparison of bilateral F-wave latency variability in control subjects, 573-A

Khoubesserian P, see Telerman-Toppet N Kim HS, see Oh SJ

Kimberling W, see Streib EW Kimura A, see Kimura J

Kimura J, Yanagisawa H, Yamada T, Mitsudome A, Sasaki H, Kimura A: Is the F wave elicited in a select group of mo-

toneurons?, 392-399 Kinder D, see Baruah JK King DW, see So EL Klueber K, see Thomas D

Klueber KM, Ontell M: A new approach to intramuscular placement of horseradish peroxidase, 127-129

Kono N, see Mineo I

Kotzin BL, see Rosenberg NL Kountouris D, Skondras S, Doughly ME: The value of fiber density determinations in early detection and follow-up study of neurogenic disorders, 572-A

Kountouris D, Skondras S, Gebes S. Doughly ME: Somatosensory evoked potentials to median nerve stimulation in the diagnosis of diabetic neuropathy, 585-A

Kraft GH, see Gateless D

Kraft GH

Decay of fibrillation potential amplitude following nerve injury, 565-A Follow-up electrodiagnostic studies of idiopathic shoulder girdle neuropa-thy (multiple distal neuritis of the shoulder girdle), 566-A

Kresch E, see Baran E Küther G, see Rüdel R Kwan A, see Pavot A

Kwieciński H, Lehmann-Horn F, Rüdel R Membrane currents in human intercostal muscle at varied extracellular potassium, 465-469

The resting membrane parameters of human intercostal muscle at low, normal, and high extracellular potassium, 60-65

Kula RW, see Sundar RP

Lacy JR, see Rosenberg NL Ladds A, Branston NM, Symon L: The early somatosensory evoked potential in the thalamus, 585-A

Lambelin D, see Telerman-Toppet N Lambert EH

see McManis PG see Oda K

Lane RJM, Turnbull DM, Hudgson P. Walton J: Trials of verapamil and dantrolene sodium in McArdle disease,

Lange DJ, Bodziner RA, Lovelace RE, Graham DS, Meer J: Quantitative electromyography using averaging techniques, 562-A

Lawrence P, see Eisen A Laws EG, see Daube JR Leboutet M-J, see Vallat J-M Lechi C, see Bonadonna G

Lederman RJ, Salanga VD, Wilbourn AJ, Hanson MR, Dudley AW Jr: Focal inflammatory myopathy, 142-146

Lee YB, see Day RK Lehmann-Horn F see Kwieciński H see Rüdel R

Leibrock LG, see Streib EW Lennon VA

see Oda K see Swift TR

Leonard JA Jr, see Albers JW Leshner RT, see Gilchrist JM

Lester JM, Silber DI, Cohen MH, Hirsch RP, Bradley WG, Brenner JF: The codispersion index for the measurement of fiber type distribution patterns: a reply, 752-L

Leung WN, Jeffrey PL, Rostas JAP: The effect of denervation on mammalian sarcolemmal proteins and glycoproteins, 35-49

Lewis SEM, see Kelly FJ Lexell J. see Downham D

Lin JT, Bradley WE: Nerve conduction study of dorsal nerve of the penis, 566-A

Lin JT, Ward C: Comparison of preoperative and postoperative nerve conduction studies in carpal tunnel release surgery, 565-A

Litchy WJ: Characteristics of stimulusinduced repetitive discharges in motor nerves, 572-A

Locatelli T, see Comi G

Loubet A, see Vallat J-M Louis AA, Gupta P, Perkash I: Localization of sensory level in traumatic quadriplegia by segmental somatosensory evoked potentials, 585-A

Louis AA, Hotson JR: Focal cooling of human nerve and slowed Na+ inactivation, 567-A

Lousberg G, see Telerman-Toppet N Lovelace RE, see Lange DJ Lynch I, see Dubois M

Mabuchi K, Pinter K, Mabuchi Y, Sreter F, Gergely J: Characterization of rabbit masseter muscle fibers, 431-438

Mabuchi Y, see Mabuchi K

Maccabee PJ, see Sundar RP Maccabee PJ, Hassan NF, Cracco RQ, Cracco JB: Short-latency somatosensory (SSEPs) and brain stem auditory evoked potentials (BAEPs): effect of high- and low-pass analog and digital filters upon wave morphology, 563-A

Macchia DD, Didelot MJ, Anderson WM: Anion permeability of toad skeletal muscle incubated in plasma and Ringer solution, 415-423

MacLean IC, see Cho DS Mahon M, see Cumming WJK Mandel F, see Martin AF Mandel S, see Baran E

Mandelli A, see Comi G

Manfredi L, see Dalla Libera L Manocha M, Chokroverty S, Nora R: Peripheral and central neural conduction in patients on chronic lithium therapy,

Mantle MM, see Goodin DS Marcucci F, see Mussini E. Marini A, see Dalla Libera L

Marra T: Use of F- and H-reflex measurements to assess peripheral nerve function in chronic renal failure, 573-A

Martin AF, Bryant SH, Mandel F: Isomyosin distribution in skeletal muscles of normal and myotonic goats, 152-160

Martinelli V, see Comi G Masaki T, see Yoshikawa A Mata M, see Donofrio PD Matthiessen T, see Schwab BW

Mayer RF, see Sellman MS

Mayer RF, Burke RE, Toop J, Walmsley B, Hodgson JA: The effect of spinal cord transection on motor units in cat medial gastrocnemius muscles, 23-31

McGonagle TK, see Albers JW McManis PG, Lambert EH, Daube JR: The exercise test in periodic paralysis, 579-A

Medaglini S, see Comi G Meer J, see Lange DJ

Melikov EM, Gasanov GG: Specificity of cortical conditioning additional negative wave of recruiting potential: the role of hippocampus and its monoaminergic system in the formation of

investigated evoked potentials, 586-A Mendell JR, Griggs RC, Moxley RT III, Fenichel GM, Brooke MH, Miller JP, Province MA, Dodson WE, CIDD Group: Clinical investigation in Duchenne muscular dystrophy: IV. Double-blind controlled trial of leucine, 535-541

Mennuni G, see Scoppetta C

Menold MM, Repasky EA: Heterogeneity of spectrin distribution among avian

muscle fiber types, 408–414 Miike T, Ohtani Y, Tamari H, Ishitsu T, Nonaka I: An electron microscopical study of the T-system in biopsied muscles from Fukuyama type congenital muscular dystrophy, 629-635

Miller JP, see Mendell JR

Miller RG see Olney RK see Rosenberg NL

Miller RG: Acute vs. chronic compressive neuropathy, 427-430

Mills KR, see Murray NMF Mineo I, Kono N, Shimizu T, Sumi S, Nonaka K, Tarui S: A comparative study on glucagon effect between McArdle disease and Tarui disease, 552-559

Minshew N, see Pettegrew J Mintz KP, see Brimijoin S Miranda A, see Bresolin N Mitchell BS, see Donofrio PD Mitsudome A, see Kimura J Mitsumoto H, see Sternick C

Mitsumoto H, Wilbourn AJ: The goldthe myokymia syndrome: findings in two patients, 579-A

Molinaro M see Cossu G

see Eusebi F Morello F, Cagnin G, Toso V: Hyperproteinorrachia in Eaton-Lambert my-

asthenic syndrome, 754-L Morgan JE, see Watt DJ Mori M, see Tsujihata M Morrell RM, see Peters GM Moxley RT III, see Mendell JR

Muldoon SM, see Eng GD Murray NMF, Mills KR: Pyramidal tract conduction time in normal subjects and multiple sclerosis patients, 563-A

Murray NMF, Tan CT: Trigeminal somatosensory evoked potentials com-pared with median SEPs and brain stem auditory evoked potentials in brain stem multiple sclerosis, 586-A

Mussini E, Cornelio F, Colombo L, De Ponte G, Giudici G, Cotellessa L, Marcucci F: Increased myofibrillar protein catabolism in Duchenne muscular dystrophy measured by 3-methylhistidine excretion in the urine, 388-391

Nagataki S, see Tsujihata M Namba T, see Pagala MKD

Nandedkar S, see Aquilonius S-M Nandedkar SD, Sanders DB: Number of turns in the EMG interference pattern measured at different force levels in biceps, 561-A

Nandedkar SD, Sanders DB, Stålberg EV: Simulation of concentric needle EMG motor unit action potentials, 569-A

Natyzak D, see Hsu L Neville HE, see Rosenberg NL

Nielsen VK, see Soso MJ
Nielsen VK, Soso MJ: Amplification of the ephaptic response in hemifacial spasm by collision of impulses, 578-A

spasm by collision of impulses, 578-A Nielsen VK, Soso MJ, Jannetta PJ: Hemifacial spasm: difficulties in locating the lesion electrophysiologically, 682-L

Noda Y, see Chino N Nonaka I, see Miike T

Nonaka I, Fujita T, Sugita H: Regenerative capability of skeletal muscle in chicken muscular dystrophy, 400–407

Nonaka K, see Mineo I Nora R, see Manocha M Noroian E, see Swift TR Norris BJ, see Carroll JE

0

Oda K, Lambert EH, Lennon VA, Palmer AC: Congenital canine myasthenia gravis: I. Deficient junctional acetylcholine receptors, 705–716

Oda K, Lambert EH, Lennon VA, Palmer AC: Congenital canine myasthenia gravis: II. Acetylcholine receptor metabolism, 717–724

Odland ID, see Baran E

Oh SJ: The near-nerve sensory nerve conduction in tarsal tunnel syndrome, 566-A

Oh SJ, Kim HS, Ahmad BK: Electrophysiological diagnosis of interdigital neuropathy of the foot, 218–225

Ohtani Y, see Miike T

Olney RK: Compound action potential analysis: negative phase or total waveform, 568-A

Olney RK, Miller RG: Conduction block in compression neuropathy: recognition and quantification, 662–667

Olsson Y, see Aquilonius S-M Ontell M see Klueber KM

see Thomas D

D

Pagala MKD, Namba T, Grob D: Failure of neuromuscular transmission and contractility during muscle fatigue, 454-464

Paldino AM, see Schwab BW

Palliyath SK: A technique for studying the greater auricular nerve conduction velocity, 232–234

velocity, 232–234
Palmer AC, see Oda K
Parry GJ, see Aminoff MJ
Partridge TA, see Watt DJ
Patterson GT, see Entrikin RK

Paul CV, see Powell JA

Pavot A, Ignacio D, Albert C, Shibuya J, Kwan A: Somatosensory evoked potentials studies in hypnosis, 586-A

Pena S, see Peterson A

Pérez Conde MC, see Cruz Martínez A Perkash I, see Louis AA Perlik SJ, see Fisher MA

Perry J, see Brandstater M Petajan JH

see Alderson K

A standard method for the evaluation of motor unit recruitment: the "45" test," 577-A

Peters GM, Brinkman SD, Dahn MS, Morrell RM, Jacobs LA: Somatosensory evoked potential deterioration signals need for temporary shunt during carotid endarterectomy, 585-A

Peters HA, see Sufit RL Peterson A, see Powell JA

Peterson A, Pena S: Relationship of genotype and in vitro contractility in mdg/mdg ↔ +/+ "mosaic" myotubes, 194–203

Pette D, see Reichmann H

Pettegrew J, Minshew N, Feit H: ³¹P-NMR studies of normal and dys¹ ophic chicken muscle, 442–446

Pfister AM, Joynt RL: F-wave latency to the extensor hallucis longus muscle in evaluation of L₅ radiculopathy, 572-A Phillips LH II, see Thurston SE

Pickett JB, Cobb L: Motor amplitude measurement errors: foiled by a millimeter ruler, 567-A

Pinter K, see Mabuchi K

Pollock M, see Sutherland WHF Popivanov D, Gavrilenko T, Gantchev GN: Brain potential interactions after voluntary movement and electrical stimulation in the humans, 587-A

Potolicchio S, see Dubois M

Powell JA, Peterson A, Paul CV: Neurons induce contractions in myotubes containing only muscular dysgenic nuclei, 204–210

Preston DN, see Kennedy CB Provenzano C, see Scoppetta C Province MA, see Mendell JR

R

Ragazzoni A, Ragghianti P, Degani D: Short-latency somatosensory evoked potential abnormalities in adult mongoloids: evidence for dysfunction of the somatosensory pathway, 587-A

Ragghianti P, see Ragazzoni A Ranatunga KW, see Elmubarak MH Ravits J, Baker M, Wilkins D, Hallett M: Primary writing tremor and myoclonic writer's cramp, 578-A

Reichmann H, Pette D: Enzyme activities and activity profiles in muscle fibers of dystrophic, immature-normal, and adult-normal BL6 mice, 121-126

Reiners K, Jackowski M, Toyka KV: F response latency determinations, 338-L Repasky EA, see Menold MM

Ricker K, see Rüdel R

Rideau Y, Glorion B, Delaubier A, Tarlé O, Bach J: The treatment of scoliosis in Duchenne muscular dystrophy, 281– 286

Rigaud M, see Vallat J-M Ringel SP, see Cooper WH Rivner MH, see French MW Robbins N, see Shields RW Jr Roberts K, see Eisen A Roos RAC, see Arts RJHM Root KR, see Shields RW Jr

Rosenberg N.L. Lacy JR, Kennaugh R, Holers VM, Neville HE, Kotzin BL: Treatment of refractory chronic demyelinating polyneuropathy with lymphoid irradiation, 563-A

Rosenberg NL, Miller RG: Profound distal pathology in acute fulminant Guillain-Barré syndrome, 576-A

Rosenblum ML, see Aminoff MJ Rostas IAP, see Leung WN

Rostas JAP, see Leung WN Roth G, Egloff-Baer S: Motor axon loop: an electroneurographic response, 294– 297

Röthig H-J, Bernhardt W, Afting E-G: Excretion of total and muscular N^{*}methylhistidine and creatinine in muscle diseases, 374–379

Rourke M, see Erlandson RF Rourke M, Erlandson RF, Joynt RL: Quantitative analysis of computersimulated EMG interference patterns,

Rowley WF, see Daugherty WT Roxin L-E, see Askmark H Rüdel R, see Kwieciński H

Rüdel R, Lehmann-Horn F, Ricker K, Küther G: Hypokalemic periodic paralysis: in vitro investigation of muscle fiber membrane parameters, 110– 120

Russin R, see Sugie H

S

Sabina RL, Swain JL, Bradley WG, Holmes EW: Quantitation of metabolites in human skeletal muscle during rest and exercise: a comparison of methods, 77–82

Sadeh M, Czyzewski K, Stern LZ: Calcium in bupivacaine-induced muscle necrosis, 752-L

Salanga VD, see Lederman RJ Sanders DB, see Nandedkar SD Sasaki H, see Kimura J

Satoh A, see Tsujihata M Scarpini E, see Dalla Libera L

Schoenenberger R, see Eppenberger ME Schumm F, Stöhr M: Accessory nerve stimulation in the assessment of myasthenia gravis, 147–151

Schwab BW, Arezzo JC, Paldino AM, Flohe L, Matthiessen T, Spencer PS: Rabbit sural nerve responses to chronic treatment with thalidomide and supidimide, 362–368

Schwartzman RJ, see Witte AS Scoppetta C, Casali C, Vaccario ML, Provenzano C: Difficult diagnosis of Eaton-Lambert myasthenic syndrome,

Scoppetta C, Vaccario ML, Casali C, Di Trapani G, Mennuni G: Distal muscular dystrophy with autosomal recessive inheritance, 478-481

Sebille A: Nerve regeneration in exogenous cerebral ganglioside-treated rats, 278 - 280

Sellman MS, Mayer RF: Physiologic changes in motor units of patients with hereditary hypertrophic polyneuropathy, 568-A

Shafiq SA, Shimizu T, Fischman DA: Heterogeneity of type 1 skeletal muscle fibers revealed by monoclonal antibody to slow myosin, 380-387

Shankske S, see Bresolin N Shibuya J, see Pavot A

Shields RW Jr: Single fiber electromyography in the differential diagnosis of myopathic limb girdle syndromes and chronic spinal muscular atrophy, 265-

Shields RW Jr, Robbins N, Verrilli AA III: The effects of chronic muscular activity on age-related changes in single fiber electromyography, 273-277

Shields RW Jr, Wilbourn AJ, Root KR: Compression neuropathies in coma, 574-A

Shimizu T see Mineo I see Shafiq SA

Shivers RR, see Graham KA Siddique T: Myopathic EMG in periph-

eral neuropathy associated with systemic lupus erythematosus, 568-A

Siegelman R, see Dubois M Silber DI, see Lester IM

Simonati A, Cavanagh JB: Changes in terminal sprout formation in rat sternocostalis muscle during chronic intoxication with 2,5 hexanedione, 355-361

Sjöström L see Grimby L see Lexell J

Skondras S, see Kountouris D

Slimp JC, Stolov WC, Wyler AR: Somatosensory evoked potentials after removal of somatosensory cortex in humans, 587-A

Smith DB, see So EL Smith SA, see Streib EW

Smith TW, Chad D: Intranuclear inclusions in oculopharyngeal dystrophy, 339-L

So EL, King DW, Smith DB, Henke J, Eve S: Recording the N11 wave at the second cervical spine (C2) vs the seventh cervical spine (C7) in median nerve somatosensory studies, 587-A

Soso MJ, see Nielsen VK Soso MJ, Nielsen VK: The lesion of hemifacial spasm is peripheral to the facial nucleus, 578-A

Spencer PS, see Schwab BW Sreter F, see Mabuchi K Stålberg E, see Aquilonius S-M Stålberg EV, see Nandedkar SD Stanek A, see Sundar RP

Stashuk D. de Bruin H. Brandstater ME: Automatic analysis of motor unit activity, 560-A

Stern LZ, see Sadeh M

Sternick C, Horowitz SJ, Wilbourn AJ, Mitsumoto H: The motor neuron disease presentation of hexosaminidase-A deficiency. EMG features in two patients, 575-A

Stibolt GP, see Tahmoush AJ Stöhr M, see Schumm F

Stolov WC, see Slimp JC Streib EN: Evoked response testing in myotonic syndromes, 590-L

Streib EW, Sun SF, Kimberling W, Smith SA: Hypertrophic form of peroneal muscular atrophy (PMA): unusual nerve conduction results, 32-34

Streib EW, Sun SF, Leibrock LG: EMG studies of distal ulnar neuropathy in nine cases, 574-A

Subramony SH, Wee AS: Electromyographic observations in hyperkalemic periodic paralysis, 579-A

Sufit RL, Peters HA: Nifedipine relieves exercise-exacerbated myalgias, 647-

Sugie H, Russin R, Verity MA: Emetine myopathy: two case reports with pathobiochemical analysis, 54-59

Sugita H. see Nonaka I Sulaiman AR, see Baruah JK Sumi S, see Mineo I

Sun SF, see Streib EW Sundar RP, Kula RW, Maccabee PJ Stanek A: Unique presentation of Guillain-Barré syndrome: complete "locked in" syndrome of peripheral origin, 576-A

Sundaram MBM: Focal inflammatory myopathy, 681-L

Sutherland WHF, Pollock M: Endoneurial ATPase activity in Tangier disease and other peripheral neuropathies, 447-453

Swain JL, see Sabina RL Sweeny PR: A reply, 338-L Swift TR, see French MW

Swift TR, Daroff RB, Drachman DB, Lennon VA, Norcian E: Advances in myasthenia gravis, conference notes, 676-678

Symon L, see Ladds A

Synek VM: Assessing sensory involvement in lower limb nerve lesions using somatosensory evoked potential techniques, 588-A

Tagesson C, Henriksson KG: Elevated phospholipase A in Duchenne muscle, 260-L

Tahmoush AJ, Alonso RD, Stibolt GP, Heiman-Patterson TD: The cramp-fasciculation syndrome with nerve hyperexcitability: a treatable disorder,

Takano-Ohmuro H, see Yoshikawa A Tamari H, see Miike T Tan CT, see Murray NMF

Taratuto AL, Dubrovsky A: Partially denervated and reinnervated muscles in Duchenne muscular dystrophy: response, 594-L

Tarlé O, see Rideau Y Tarui S, see Mineo I

Telerman-Toppet N, Khoubesserian P, Bacq M, Durdu J, Lambelin D, Lous-berg G, Coërs C: Unclassified familial myopathy resembling Steinert disease, without myotonia, 439-441

Téllez I. see Cruz Martínez A

Thomas D. Klueber K, Bourke D, Ontell M: The size of the myofibers in mature grafts of the mouse extensor digitorum longus muscle, 226-231

Thomeer RTWM, see Arts RJHM

Thurston SE, Phillips LH II: Disorder of neuromuscular transmission in a peripheral neuropathy, 495-L

Toop J, see Mayer RF Toso V, see Morello F Toyka KV, see Reiners K Troup JP, see Fitts RH Trupin GL, see Hsu L

Tsujihata M, Hazama R, Yoshimura T, Satoh A, Mori M, Nagataki S: The motor end-plate fine structure and ultrastructural localization of acetylcholine receptors in amyotrophic lateral sclerosis, 243-249

Turnbull DM, see Lane RIM

Unsworth BR, see Fitts RH

Vaccario ML, see Scoppetta C Vallat J-M, Guitart R, Leboutet M-J, Loubet A, Figaud M: The Spanish toxic-oil syndrome, 681-L

Verity MA, see Sugie H Verrilli AA III, see Shields RW Jr

Vidoloff JC: Saphenous nerve entrap-ment diagnosed by somatosensory evoked potential and treated by injection, 588-A

Vignos PJ Jr: A reply, 498-L Villadiego A, see Carroll JE Vrbová G, see Dangain J

Vredeveld JW: The N20 somatosensory evoked potential and outcome of acute stroke: predictive value?, 588-A

Walmsley B, see Mayer RF Walton J, see Lane RJM Ward C, see Lin JT Ward PS, see Watt PW

Watt DJ, Morgan JE, Partridge TA: Use of mononuclear precursor cells to insert allogeneic genes into growing mouse muscles, 741-750

Watt PW, Goldspink G, Ward PS: Changes in fiber type composition in growing muscle as a result of dynamic exercise and static overload, 50-53

Weddell AGM, see Bell MA

Wee AS, see Subramony SH Weinstein PR, see Aminoff MI

Weiss JA, White JC

EMG elucidation of the pathophysiology of ataxia in the Fisher syndrome, 577-A

Mixed nerve axon populations and the somatosensory evoked potential: implications, 588-A

Wess MM, Fisher MA: Evoked motor response durations: differences in aging between men and women, 577-A

Wheeler SD, see Carroll JE White J, see Eisen A

White JC, see Weiss JA
Wiechers D: Qualitative single fiber electromyography, 562-A

Wieczorek DF: Early effects in vitro of the muscular dysgenesis mutation on nervous tissue in the mouse, 179-193

Wilbourn AJ: Generalized low motornormal sensory conduction responses: The etiology in 55 patients, 564-A

Wilbourn AJ

see Lederman RI see Mitsumoto H

see Shields RW Jr see Sternick C

Wilkins D, see Ravits I

Wilson BW, see Entrikin RK Witte AS, Burke JF: Membranous glomerulonephropathy associated with chronic progressive demyelinating polyradiculoneuropathy, 573-A

Witte AS, Schwartzman RJ, Fariello RG: Mononeuropathy multiplex due to heroin abuse, 575-A

Wongjirad C, see Fine E

Woods JJ, see Bigland-Ritchie B Wu Z-A, Chu F-L, Chang T, Jan S-F: Short-latency somatosensory evoked potentials in patients with cerebral infarction, 589-A

Wu Z-A, Chu F-L, Chang T, Yang D-A: Electrophysiologic study and computed tomography in diagnosis of lumbosacral radiculopathy, 572-A

Wyler AR, see Slimp JC

Yamada T, see Kimura J Yanagisawa H, see Kimura J Yang D-A, see Wu Z-A

Yoshikawa A, Takano-Ohmuro H, Masaki T: Increase in the amount of elongation factor 2 in chicken muscular dystrophy, 733-740

Yoshimura T, see Tsujihata M

Young RB, Hopkins LH, Fleming GD: Elevated ammonia release from dystrophic chicken muscle cell and fibroblast cultures, 626-628

Zatti M, see Bonadonna G

SUBJECT INDEX TO VOLUME 7

This index gives the first author (in parentheses) and the first page of the article, abstract, or letter in which the indexed subject occurs. The reader is referred to the author index for the full title and coauthors, where appropriate, of the piece. Abstracts and letters are distinguished from articles by the following code: A = abstract, L = letter.

A

Acetylcholine receptor

deficiency in congenital canine myasthenia gravis (Oda) 705

metabolism in congenital canine myasthenia gravis (Oda) 717

ultrastructural localization in amyotrophic lateral sclerosis (Tsujihata) 243 Acetylcholine sensitivity

in myoblasts (Eusebi) 488

Actin

in avian muscular dystrophy (Feit) 668 Adenylate deaminase

frozen muscle biopsies (Fishbein) 340-L.

Adenylate kinase frozen muscle biopsies (Fishbein) 340-L Amyotrophic lateral sclerosis

motor endplate and AChRs (Tsujihata)

B

Bupivacaine

muscle necrosis (Sadeh) 752-L

Book reviews

Atlas der Klinischen Elektromyographie und Neurographie (Stöhr and Bluthardt) 684

Biofeedback (Basmajian) 502

Clinical and Biological Aspects of Peripheral Nerve Diseases (Battistin, Hashim, and Lajtha) 757

Current Therapy in Physicaly: Physical Medicine and Rehabilitation (Ruskin) 502

Developmental Processes in Normal and Diseased Muscle (Oppenberger and Perriard) 756

Disorders of Peripheral Nerves (Schaumberg, Spencer, and Thomas) 426 Electrodiagnosis in Diseases of Nerve and

Muscle: Principles and Practice (Kimura) 500

EMG Manual (Jabre and Hackett) 343 Growth and Trophic Factors (Perez-Polo, de Vellis, and Haber) 342 Muscle Function Testing (Janda) 756 Muscle Pathology in Neuromuscular Disease (Korényi-Both) 262

Nerve Conduction Handbook (Ma and Liveson) 685

Nervous System Regeneration (Haber, Perez-Polo, Hashim, and Stella) 758 Neuromuscular Diseases (Swash and

Schwartz) 424
Peripheral Neuropathy, Volumes I and II
(Dyck, Thomas, Lambert, and

Bunge) 685 The Pharmacology of Nerve and Muscle in Tissue Culture (Harvey) 758

The Practice of Physical Medicine (Kaplan)
757

Psychosocial Aspects of Muscular Dystrophy and Allied Diseases (Charash, Wolf, Kutscher, Lovelace, and Hale) 342

The Role of Calcium in Biological Systems, Volumes I, II, and III (Anghileri and Tuffet-Anghileri) 684

Skeletal Muscle Pathology (Mastaglia and Walton) 425

Sulfur Amino Acids: Bochemical and Clinical Aspects (Kuriyama, Huxtable, and Iwata) 501

Therapeutic Apheresis and Plasma Perfusion (Tindall) 500

Ultrastructural Study of the Human Diseased Peripheral Nerve (Vital and Valat) 426

C

Carpal tunnel syndrome

association with Schwartz-Jampel syndrome (Cruz Martínez) 66

comparison of median, radial, and ulnar sensory latencies (Cho) 575-A comparison of residual latency and palmar stimulation (Joynt) 565-A

electrodiagnostic testing (Evans) 565-A preoperative and postoperative nerve conduction studies (Lin) 565-A thermographic evaluation of autonomic dysfunction (Gateless) 574-A Computer tomography

lumbosacral radiculopathy (Wu) 572-A Creatine kinase

frozen muscle biopsies (Fishbein) 340-L

E

Electromyography

a device providing visual and auditory feedback (Fine) 569-A

analysis of computer-simulated interference patterns (Rourke) 570-A

ataxia in Fisher syndrome (Weiss) 577-A

comparison of computer-simulated interference pattern (Erlandson) 570-A

concentric needle MUAPs (Nandedkar) 562-A

distal ulnar neuropathy (Streib) 574-A facial myokymia (Daugherty) 568-A gold-myokymia syndrome (Mitsumoto)

hexosaminidase, a deficiency in motor

neuron disease (Sternick) 575-A hyperkalemic periodic paralysis (Subramony) 579-A

interexaminer variations in interference patterns (Joynt) 570-A

in the diagnosis of malignant hyperthermia (Eng) 618

intraoperative monitoring of cranial nerve function (Daube) 577-A

measurement of interference pattern (Nandedkar) 561-A

motor amplitude measurement errors (Pickett) 567-A

motor units during locomotion in peroneal palsy (Grimby) 327 myoclonic writer's cramp (Ravits)

578-A peripheral neuropathy associated with systemic lupus erythematosus (Siddique) 568-A quantitative analysis (Lange) 562-A quantitative analysis of channel crosstalk (Brandstater) 561-A shoulder girdle neuropathy (Kraft) 566-A

signal decomposition (De Luca) 560-A spasmodic torticollis (Gilchrist) 569-A spinal cord stimulation (Dimitrijevic) 569-A

Electromyography, single fiber age-related changes (Shields) 273 chronic spinal muscular atrophy (Shields) 265

fiber density determinations (Kountouris) 572-A

myopathic limb girdle syndrome (Shields) 265

qualitative analysis (Wiechers) 562-A Electrophysiological studies

comparison of peripheral and central sensory conductions (Eisen) 562-A lithium therapy (Manocha) 575-A lumbosacral radiculopathy (Aminoff) 582-A; (Wu) 572-A

Evoked Potentials cerebral (Goodin) 584-A

clinical role of somatosensory evoked potentials (Aminoff) 345

correlation coefficient analysis (Baran) 571-A

cortical conditioning (Melikov) 586-A Evoked potentials, somatosensory

abnormalities with Agent Orange (Baran) 571-A brainstem auditory evoked potentials

(Maccabee) 563-A brain potentials (Popivanov) 587-A

carotid endarterectomy (Peters) 585-A cerebral cortex (Slimp) 587-A digital filtering (Eisen) 584-A diabetic neuropathy (Kountouris)

Huntington's chorea (Arts) 582-A

in brain-dead patients (Belsh) 583-A in cerebral infarction (Vredeveld) 588-A: (Wu) 589-A

in hypnosis (Pavot) 586-A in mongoloids (Ragazzoni) 587-A lower limb nerve lesions (Synek) 588-A mixed nerve axon populations (Weiss) 588-A

multiple sclerosis (Comi) 583-A nerve entrapment (Vidoloff) 588-A recording the N11 wave (So) 587-A

scalp distribution following stimulation (Beric) 583-A spinal cord reconstruction (Arts) 582-A

thalamus (Ladds) 585-A thalamic lesions (Fisher) 584-A traumatic quadriplegia (Louis) 585-A trigeminal in multiple sclerosis (Murray) 586-A

Exercise muscle fiber type effect (Watt) 50

F

F-response

mean latency determination (Fisher) 339-L; (Reiners) 338-L

F-waves bilateral variability (Kennedy) 573-A L₅ radiculopathy (Pfister) 572-A origin in a select group of motoneurons (Kimura) 392

Gangliosides

nerve regeneration in gangliosidetreated rats (Sebille) 278

Hemifacial spasm electrophysiological localization (Hopf) 753-L: (Nielsen) 682-A Hypokalemic periodic paralysis

muscle fiber membrane parameters (Rüdel) 110

Lambert-Eaton myasthenic syndrome electrophysiological studies (Jablecki)

hyperproteinorrachia (Morello) 754-L.

McArdle disease

glucagon effect (Mineo) 552 trials of verapamil and dantrolene sodium (Brumback) 593-L; (Lane)

3-Methylhistidine

urinary excretion in infants (Dalla Libera) 494

Motor endplate

acrylamide and zinc iodide-osmium staining (Kemplay) 94, 101 terminal sprouting and 2,5-hexanedi-

one (Simonati) 355 topographical localization (Aquilonius)

Motor endplate-staining technique zinc iodide-osmium in acrylamide in-

toxication (Kemplay) 94, 101 Motor neuron hexosaminidase, a deficiency (Sternick) 575-A

labelling by intramuscular placement of horseradish peroxidase (Klueber) 127 Motor units

abnormal use in peroneal palsy (Grimby) 327

acoustic myography (Barry) 578-A action potential simulation of concentric needle EMG (Nandedkar) 562-A automatic analysis of action potentials

(Dorfman) 560-A automatic analysis of activity (Stashuk) 560-A

automatic analysis of interference pattern (Chu) 560-A

effects of progressive Teflon denuda-tion of EMG needle (Chu) 569-A

in hereditary hypertrophic polyneuropathy (Sellman) 568-A

in paraplegia (Mayer) 23 the "45" test" (Petajan) 577-A

Multiple sclerosis pyramidal tract conduction time (Murray) 563-A

somatosensory evoked potentials (Comi) 583-A

trigeminal somatosensory evoked potentials (Murray) 586-A

Muscle

anion permeability (Macchia) 415 avian, ³¹P-NMR studies (Pettegrew) 442

changes during human muscular fatigue (Bigland-Ritchie) 691 compound action potential analysis (Olney) 568-A

dystrophia myotonica-like disease (Telerman-Toppet) 439

dystrophic murine muscle in culture (Bryers) 332

exercise and metabolites (Sabina) 77 exertional myalgia (Sufit) 647 fatigue (Bigland-Ritchie) 691

focal inflammatory myopathy (Lederman) 142; (Sundaram) 681-L glucagon effect in McArdle disease and

Tarui disease (Mineo) 552 hypokalemic periodic paralysis (Rüdel)

110 isomyosins in myotonic goats (Martin)

152 measurement of evoked motor re-

sponse duration (Wess) 577-A muscular dysgenesis and "mosaic" my-

otubes in vitro (Peterson) 194 muscular dysgenesis mutation (Wieczorek) 179

muscular dysgenic myotube contractions (Powell) 204

myofibrillar M-line structure (Eppenberger) 304

myoglobin after denervation and during reinnervation (Askmark) 656 needle biopsy (Cumming) 679-L; (Heckmatt) 594-L

nerve-muscle interaction (Wieczorek) 179

neuronotrophic effects of muscle fractions (Hsu) 211

N'-methylhistidine and creatinine excretion in muscle diseases (Röthig) 374

periodic paralysis and the exercise test (McManis) 579-a

protein turnover and growth (Kelly) 235

regeneration in avian muscular dystrophy (Nonaka) 400

sarcolemmal characteristics (Rüdel) 110 sarcomere number regulation (Herring) 161

temperature sensitivity of muscle contraction (Elmubarak) 298

thyrotoxicosis (Fitts) 470 topographical localization of motor endplate (Aquilonius) 287 use of nifedipine (Sufit) 647

Muscle biochemistry

high energy phosphates during rest and exercise (Sabina) 77

high energy phosphates in avian dystrophic muscle (Pettegrew) 442 Muscle biopsy

double staining technique for automatic analysis (Hantaï) 91

Muscle denervation

fibrillation potential amplitude (Kraft) 565-A

773

myoglobin (Askmark) 656 sarcolemmal, proteins and glycoproteins (Leung) 35

Muscle exercise metabolism and fatigue (Edwards) 599 Muscle fatigue

failure of neuromuscular transmission (Pagala) 454

Muscle fibers

avian, spectrin distribution (Menold) 408

healing-over following injury (Furukawa) 610

myosin types in rabbit masseter muscles (Mabuchi) 531

supernormal conductivity 567-A

type 1 fiber heterogeneity (Shafiq) 380 Muscle fiber type grouping

quantitation by co-dispersion index (Downham) 751-L; (Lester) 752-L Muscle fiber types

effects of dynamic exercise and static overload (Watt) 50

Muscle histochemistry

automatic analysis (Hantaï) 91

Muscle myopathy

bupivacaine and calcium (Sadeh) 753-L McArdle's disease (Brumback) 593-L; (Lane) 592-L

phosphoglycerate deficiency (Bresolin) 542

trials of verapamil and dantrolene (Brumback) 593-L; (Lane) 592-L

Muscle myotonia isomyosins (Martin) 152

Muscle myotubes

acetylcholine sensitivity in murine muscular dystrophy (Cossu) 73

Muscle physiology

resting membrane potentials and extracellular potassium (Kwieciński) 60 Muscle sarcolemma

intramembrane particles in hamster dystrophic heart muscle (Graham) 513

membrane currents and potassium (Kwieciński) 465

Muscle transplants

allogeneic gene insertion (Watt) 741 myofiber size (Thomas) 226

Muscular dysgenesis

normal-dysgenic mosaic myotubes (Peterson) 194 myotube contraction (Powell) 204

Muscular dystrophy

congenital, T-system in Fukuyama type (Miike) 629

distal, autosomal recessive inheritance (Scoppetta) 478

Muscular dystrophy-avian corticosterone-21-acetate (Entrikin) 130 elongation factor 2 (Yoshikawa) 733 interaction of actin and myosin (Feit) 668

muscle regeneration (Nonaka) 400 myosin components (Bandman) 312 NH₃ release from cells (Young) 626 ³¹P-NMR studies (Pettegrew) 442 stretch removal on muscle weight and

enzyme activity (Day) 482

use of proper "controls" (Entrikin) 337-L; (Sweeny) 338-L

Muscular dystrophy-Duchenne decreased A23187-induced

platelet aggregation (Bonadonna) 493-L denervation effects (Karpati) 261-L; (Taratuto) 594-L

3-methylhistidine excretion (Mussini) 388

myofibrillar protein catabolism (Mussini) 388

phopholipase A activity (Tagesson) 260-L

physical rehabilitation (Fowler) 496-L; (Vignos) 498-L

treatment of scoliosis (Rideau) 281 treatment trial with leucine (Mendell) 535

Muscular dystrophy-hamster

intramembrane particle profile of heart sarcolemma (Graham) 513 membrane protein phosphorylation in

erythrocytes (Johnson) 369 myofibrillar M-line structure (Eppenberger) 304

Muscular dystrophy-limb girdle single fiber EMG (Shields) 265

Muscular dystrophy-mouse differentiation in muscle cultures (Bryers) 332

muscle enzyme activities (Reichmann) 191

Muscular dystrophy-murine acetylcholine sensitivity (Cossu) 73 insulin receptor (Hofmann) 650 mdx mutant (Dangain) 700 muscle development (Dangain) 700

Muscular dystrophy-myotonic gastroparesis (Bodensteiner) 486 Muscular dystrophy-oculopharyngeal intranuclear inclusions (Smith) 339-L

Myasthenia gravis accessory nerve stimulation (Schumm) 147

conference notes (Swift) 676 Myasthenia gravis-congenital canine AChR deficiency in dogs (Oda) 705 AChR metabolism in dogs (Oda) 717 Myasthenic syndrome

electrophysiological studies (Jablecki) 250

hyperproteinorrachia (Morello) 754-L treatment with immunosuppressant drugs (Scoppetta) 680-L

Myopathy brominated vegetable oil (Carroll) 642 emetine (Sugie) 54

familial, resembling myotonic dystrophy (Telerman-Toppet) 439 lipid storage, experimental (Carroll)

642 malignant hyperthermia, electromyog raphy in diagnostic testing (Eng) 618 malignant hyperthermia, excitation-

contraction time intervals (French) 580-A

Myosin

in avain muscular dystrophy (Feit) 668 in dystrophic chicken (Bandman) 312 type 1 muscle fiber heterogeneity (Shafig) 380

Myosin light chains

in rabbit masseter muscle (Mabuchi) 431

Myositis

focal inflammatory (Lederman) 142; (Sundaram) 681-L

Myotonia

2,4-dichlorophenoxyacetic acid (Al-Sulaiman) 580-A

Myotonia congenita electrophysiology (Streib) 590-L

Nerve

cramp-fasciculation syndrome (Tahmoush) 580-A

ephaptic response in hemifacial spasm (Nielsen) 578-A

focal cooling and Na+ inactivation (Louis) 567-A

hemifacial spasm (Soso) 578-A

pudendal nerve evoked responses during pelvic surgery (Dubois) 583-A stimulus induced repetitive discharges

(Litchy) 572-A Nerve-blood vessels

morphometric study of intrafascicular vessels (Bell) 524

Nerve conduction

distribution of conduction velocities (Dorfman) 2

dorsal nerve of penis (Lin) 566-A generalized low motor-normal sensory response (Wilbourn) 564-A

greater auricular nerve (Palliyath) 232 in thalidomide and supidimide intoxication (Schwab) 362

proximal conduction velocity in Ia fibers (Eisen) 636

pyramidal tracts (Murray) 563-A Spanish toxic oil syndrome (Cruz Martínez) 12

Nerve entrapment

acute and chronic (Miller) 427 carpal tunnel syndrome in Schwartz-Jampel syndrome (Cruz Martínez) 66 Nerve-muscle interaction

Spanish toxic oil syndrome (Cruz Martínez) 12; (Vallat) 681-I thalidomide and supidimide intoxica-

tion (Schwab) 362 Nerve physiology

motor axon loop (Roth) 294 Nerve regeneration

ganglioside-treated rats (Sebille) 278 Neuromuscular disease

physical rehabilitation (Fowler) 496-L; (Vignos) 498-L

Neuromuscular transmission

disorders in peripheral neuropathy (Thurston) 495-L muscle fatigue (Pagala) 454

Neuronotrophic factors

muscle extracts (Hsu) 211 Neuropathy

acute and chronic compressive neuropathy (Miller) 427

acute inflammatory demyelinating polyradiculoneuropathy-electrophysiological studies (Albers) 576-A

Agent Orange (Dyro) 571-A

analphalipoproteinemia (Sutherland)
447

compression neuropathies in children (Jones) 566-A

conduction block in compression neuropathy (Olney) 662

diabetic, somatosensory evoked potentials (Kountouris) 585-A disorders of neuromuscular transmis-

sion (Thurston) 495-L EMG studies of distal ulnar neuropathy

(Streib) 574-A endoneurial ATPase activity in Tangier disease (Sutherland) 447

energy metabolism in p-bromophenylacetylurea (Brimijoin) 725

F-wave and H-reflex measurements (Marra) 573-A

hereditary sensory neuropathy (Baruah) 573-A in coma (Shields) 574-A

interdigital, electrophysiological studies (Oh) 218 membranous glomerulonephropathy (Witte) 573-A

mononeuropathy multiplex due to heroin abuse (Witte) 575-A

osteosclerotic myeloma (Donofrio) 137 p-bromophenylacetylurea and energy metabolism (Brimijoin) 725

polyneuropathy in benign monoclonal gammopathy (Donofrio) 564-A relative refractory period (Alderson) 580-A

reatment of refractory chronic demyelinating polyneuropathy with lymphoid irradiation (Rosenberg) 563-A vincristine (Cooper) 564-A

Guillain-Barré syndrome, "locked in" syndrome (Sundar) 576-A

Guillain-Barré syndrome, distal preponderance (Rosenberg) 576-A

P

Paramyotonia congenita electrophysiology (Streib) 590-L Peroneal muscular atrophy

hypertrophic form, nerve conduction study (Streib) 32

Phosphoglycerate kinase deficiency myopathy (Bresolin) 542

Polymyositis focal inflammatory myopathy (Lederman) 142; (Sundaram) 681-L

S

Sarcolemma

proteins and glycoproteins in denervation (Leung) 35 Spinal muscular atrophy single fiber electromyography (Shields)

265

Tarsal tunnel syndrome near-nerve sensory nerve conduction (Oh) 566-A

Tarui disease glucagon effect (Mineo) 552

As part of our continuing effort to find the cause and the cure of Amyotrophic Lateral Sclerosis, the National ALS Foundation will review research grants and postdoctoral fellowships for funding to begin July 1st, 1985. Applicants may apply for one or two years funding. The deadline for receipt of completed applications for this review is February 1st, 1985. Our next deadline, for funding to begin January 1st, 1986, is July 1st, 1985. For appropriate application forms and additional information, please contact: National ALS Foundation, Inc., 185 Madison Avenue, New York, NY 10016. Phone: (212) 679-4016.